

Mn= 4752
 Mw= 32991
 Mz=109253
 Mp= 13123

Mw/Mn= 6.9421
 Mz/Mw= 3.3116
 M(z+1)= 218140
 M(z+2)= 335155

MV= 0
 Int. Visc.= 0.00000
 SL Slope= -0.00745
 BL Slope= -0.10995

FIG. 1

FIG. 2A





FIG. 2B



3/14

10047941.031802




FIG. 3

4/14




FIG. 4A




FIG. 4B





FIG. 5

6/14



FIG. 6

P(LAEG-EOP), 2/24/97, CDC13
OBSERVE H1
FREQUENCY 399.952 MHz
SPECTRAL WIDTH 5000.0 Hz
ACQUISITION TIME 3.744 sec
RELAXATION DELAY 0.000 sec
PULSE WIDTH 7.0 μ sec
AMBIENT TEMPERATURE
NO. REPETITIONS 4
DOUBLE PRECISION ACQUISITION
DATA PROCESSING
FT SIZE 65536
TOTAL ACQUISITION TIME 1 minutes



7/14

FIG. 7

P(LAEG-EOP), CHC13, BB, 2/24/97

OBSERVE P31

FREQUENCY 161.903 MHz

SPECTRAL WIDTH 16000.0 Hz

ACQUISITION TIME 0.800 sec

RELAXATION DELAY 0.000 sec

PULSE WIDTH 10.0 μ sec

AMBIENT TEMPERATURE

NO. REPETITIONS 746

DECOUPLER H1

HIGH POWER 33

DECOUPLER CONTINUOUSLY ON

WALTZ16 MODULATED


DOUBLE PRECISION ACQUISITION

DATA PROCESSING

LINE BROADENING 10.0 Hz

FT SIZE 32768

TOTAL ACQUISITION TIME 9 minutes



8/14




FIG. 8




FIG. 9

9/14




FIG. 10A




FIG. 10B

10/14




FIG. 11A




FIG. 11B

Inflammatory Response at the Site of Implantation (i.m.)						
Polymer	3 D	7 D	14 D	1 M	2 M	4 M
P(LAEG-EOP)	SI (130)	SI (123)	SI (180)	SI (198)	SI (106)	SI (99)
PLGA(RG755)	SI (148)	SI (98)	SI (137)	SI (105)	SI (94)	SI (43)
Score:	No Irritation (0)	Slight Irritation (0-200)	Mild Irritation (200-400)	Moderate Irritation (400-600)	Severe Irritation (>600)	

FIG. 12

12/14




FIG. 13




FIG. 14




FIG. 15

14/14




FIG. 16




FIG. 17